

Time : 3 Hours

Maximum Marks: 80

Min. Passing Marks : 24

Instructions to Candidates:

Attempt any Five questions selecting one question from each unit. All questions carry equal marks. (Schematic diagrams must be shown wherever necessary. Any data you feel missing may suitably be assumed and stated clearly.) Units of quantities used/calculated must be stated clearly.

Unit - I

1.	a)	Write and state the Green's theorems.	(8)
	b)	An electric field intensity is given as	(8)

- $\vec{E} = \frac{100 \ Cos \ \theta}{r^3} \ \vec{a_r} + \frac{50 \ Sin \ \theta}{r^3} \ \vec{a_{\theta}}$ then
- i) Find $|\vec{E}|$ at r = 2, $\theta = 60^{\circ}$, $\phi = 20^{\circ}$
- ii) Unit vector in Cartesian Coordinates in the direction of \vec{E} .

OR

a) A vector field $\overline{D} = \left(\frac{5r^2}{4}\right) \overline{a_r}$ is given in spherical Coordinates. Evaluate both sides of Divergence theorem for the volume enclosed between r = 1 and r = 2. (8)

b) Given $\vec{A} = 2r \cos \phi \ \vec{a_r} + r \vec{a\phi}$ in cylindrical Coordinates. For the path shown in figure verify Stokes's theorem. (8)

4E2088 /2012

[Contd....





- 2. a) State and prove the Uniqueness theorem. (8)
 - Use Laplace's equation to find the capacitance per unit length of a Coaxial. b) Cable of inner radius 'a' meter and outer radius 'b' meter. Assume $V = V_0$ at r = a and V = 0 at r = b. (8)

OR

- 2. a) A cylindrical Capacitor has radii a = 1 cm and b = 2.5 cm. If the space between the plates is filled with an inhomogeneous dielectric with $\varepsilon_r = (100 + e)/e$, where 'e' is in Centimeters find the capacitance per meter of the capacitor. (8)
 - b) Explain the boundary conditions and determine them for
 - Dielectric Dielectric i)
 - Conductor Dielectric ii)
 - Conductor free space. iii)

Unit - III

- Briefly explain the Ampere's law and using it, find the \overline{H} due to infinite sheet 3. a) of current. (8)
 - In the region 0 < r < 0.5m, in cylindrical Coordinates, the current density is b) $\vec{J} = 4.5 e^{-2r} \vec{a_r} A/m^2$ And $\vec{J} = 0$ else where. Use Amperes circuital law to find \overline{H} . (8)

(8)

- a) What is Magnetic field Mapping? Explain the concept of Field Cell in parallel strip transmission lines.
 (8)
 - b) A very long Solenoid with 2×2 cm Cross section has an iron core ($\mu_r = 1000$) and 4000 turns/meter. If it carries current of 500 mA. Find
 - i) Its self inductance per meter.
 - ii) The energy per meter stored in field.

Unit - IV

- 4. a) Explain the Poynting Vector and Poynting theorem and find the average power density.
 (8)
 - b) Calculate intrinsic impedance η, the propagation constant γ and wave velocity v for a conducting medium in which σ = 58 Ms/m, μ_r = 1, ε_r = 1 at a frequency of 100 MHz.
 (8)

OR

4. a) A parallel plate Capacitor with plates area of 5cm^2 and plate separation of 3mm has a voltage of $(50 \sin 10^3 t)$ volts applied to its plates. Calculate the displacement current, assuming $\varepsilon = 2\varepsilon_0$. (8)

b) What is uniform plane? Find the expression for intrinsic impedance for

- i) Perfect dielectric
- ii) Lossy dielectric.

Unit-V

- 5. a) What is Hertzian dipole? Write the relation between a current element and an electric dipole using suitable expression. (8)
 - b) Calculate the radiation resistance of a $\frac{\lambda}{100} \dot{m} \frac{\lambda}{y}$ monopole and half wave dipole antennas. (8)

OR

- 5. a) Explain with the help of diagram different modes of EMI coupling. (4)
 - b) Write the methods of eliminating EMI and briefly explain any of two. (8)
 - c) What is retarded potentials explain briefly. (4)

(8)

(8)